Integration instructions
Brightcove Video Cloud Professional/Enterprise

inplayer

Katerina Hristovska

Note: If you have a Brightcove Video Cloud Express Account, please proceed to this link for the instructions
http://static.inplayer.com/pdf/inplayer/BRIGHTCOVE_EXPRESS_PLAYLIST S_INSTRUCTIONS.pdf

**Step 1:** Go to www.inplayer.com and login as a publisher.

Step 2: You will be redirected into your publisher control panel.
There are five different management sections: Dashboard, Settings, Applications, Transactions and Manage Videos.
Click on Manage Videos button.

You will be redirected into a section where you can find all your videos referenced or add new videos.

Step 3: Referencing Brightcove Videos

Click on the 'Add' button (Videos or Live Videos tab) as it is shown in the picture below and reference your desired Brightcove videos into your InPlayer control panel.

Step 4: You will see a pop-up window. Click on Brightcove.

Step 5: Choose Professional/Enterprise from the drop-down menu.

Step 6: Fill the next three fields with information from your Brightcove account: Publisher ID, API token and Player ID.

Brightcove Part of the Integration

**Step 7:** Get Brightcove Publisher ID
Login to https://my.brightcove.com/
You should be able to see your Publisher ID, as it is shown in this picture.

**Step 7:** Get Brightcove API Read Token
Go to Account Settings -> API Management

Please make a note of your API Token. NB. This should be the 'Read' token with 'URL Access'.

Step 8: Choose a player
Click on the Publishing button

Choose your player from the list of players and click on Settings

The following pop-up window should appear on screen.

Click on Plug-Ins

Enter this line in field - Type a URL to add it to the list below
Plugin =
'http://plugin.inplayer.com/v6/inplayer.swf?inplayer.pid=YOUR_ID'

Enter your publisher ID number at the end of this line and click on 'Save'.

You can find your InPlayer ID here:
Login to: www.inplayer.com
Go to Settings Panel, and you will see your Publisher ID.

Get your Brightcove Player ID

In the Publishing Tab you can see all your players. Click on the desired player and see the Player ID as it is shown in the picture below.

Copy and paste your Brightcove Publisher ID, API Read Token and Player ID into your InPlayer account – see image (Step 6).

Step 9: Once the InPlayer plug-in URL has been added in the Brightcove Control Panel and the Brightcove Publisher ID, API Read Token and Player ID have been added to the InPlayer control panel, click save and the accounts will synchronize.
Your Brightcove videos will now be visible within your InPlayer account (See Control Panel: Manage Videos section).

Step 10: Embedding single video from Brightcove.

Once you add the InPlayer plugin in the Brightcove player, you can embed single videos in 2 steps.
Go to the Publishing tab in your Brightcove account and select one video. In the right section of the video you can find settings parameters for that specific video. Click on the 'Quick Video Publish' button. Under the 'Select a Player' you will see a drop down menu with listed players. Choose a player that is integrated with the InPlayer plugin.

Copy the embed code for this video and paste it on your site (choose either publishing code for website, blog or URL).

You can save this code in an .html file and put on your server:
Open a Notepad ++ document
Copy the given code and paste it in the Notepad ++ document
Save it as .html file
Open the file in a browser and play the video
You should be able now to see your video

Once the video is referenced you will be able to add different applications into the InPlayer Control Panel.

Brightcove HTML5 Instructions

Step 1: Go to http://my.brightcove.com and login with your access credentials.

**Step 2:** After you are logged in into your Brightcove account, go to 'Account Settings' section.

Enable the Universal Delivery Service option in account settings.

Click on the "Save Changes" button.

Step 3: Additional settings on player side

Go to the 'Publishing' section from the navigational menu and select the player that you want to make integration with. Click on the 'Settings' option.

In 'Global' section of the player settings enable the ActionScript/Java Script APIs and HTML5 Delivery and click on the 'Save Changes' button.

Go to the Plug-Ins section of the player and add the following JS file:
http://plugin.inplayer.com/html5/latest/scripts/invideous_efs.js

Click on 'Save Changes' button.

Step 4: Go to the 'Media' section of the navigational menu and select the video that you want to embed.

Copy the embed code of the video and paste it in Notepad++.

In the embed code you need to add few more lines:

<param name="includeAPI" value="true" />
<param name="templateLoadHandler"
value="inplayer.ovps.brightcove.templateLoaded"/>

At the top of page (better in the <head> HTML tag) add scripts and styles:

<link rel="stylesheet" type="text/css"
href="http://plugin.inplayer.com/html5/v3/latest/style/style.css"/>
<script type="text/javascript"
src="http://ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js"></script>
<script type="text/javascript"
src="http://plugin.inplayer.com/html5/v3/latest/scripts/inplayer.js"></script>
<script type="text/javascript"
src="http://plugin.inplayer.com/html5/latest/scripts/flashdetect.js"></script>
<script type="text/javascript">
*   var inv_vid = 20546302 //Video ID from InPlayer control panel*
*   var inv_pid = 5070 //PID from InPlayer control panel*
</script>

Step 5: How to find Video ID from the InPlayer Control Panel

Go to www.inplayer.com and login with your access credentials.

Navigate to the Manage Videos tab and select the referenced video that you want to embed it with HTML5. You can find your Video ID here.

Example code:

```html
<html>
<head>
<link rel="stylesheet" type="text/css"
href="http://plugin.inplayer.com/html5/v3/latest/style/style.css"/>
<script type="text/javascript"
src="http://ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js"></script>
<script type="text/javascript"
src="http://plugin.inplayer.com/html5/v3/latest/scripts/inplayer.js"></script>
<script type="text/javascript"
src="http://plugin.inplayer.com/html5/latest/scripts/flashdetect.js"></script>
<script type="text/javascript">
        var inv_vid = 20546302 //Video ID from InPlayer control panel
        var inv_pid = 5070 //PID from InPlayer control panel
</script>
</head>
<body>

<!-- Start of Brightcove Player -->
<div style="display:none">
</div>

<script language="JavaScript" type="text/javascript"
src="http://admin.brightcove.com/js/BrightcoveExperiences.js"></script>

<object id="myExperience2560874066001" class="BrightcoveExperience">
  <param name="bgcolor" value="#FFFFFF" />
  <param name="width" value="680" />
  <param name="height" value="470" />
  <param name="playerID" value="3860535936001" />
  <param name="playerKey"
value="AQ~~,AAAAEnqFE6k~,BzTqje2ipv9MgLmIvTIwjPrPU_BW-r77" />
  <param name="isVid" value="true" />
  <param name="isUI" value="true" />
  <param name="dynamicStreaming" value="true" />
  <param name="@videoPlayer" value="2560874066001" />

  <param name="includeAPI" value="true" />
<param name="templateLoadHandler"
value="inplayer.ovps.brightcove.templateLoaded"/>


</object>

<script type="text/javascript">brightcove.createExperiences();</script>

<!-- End of Brightcove Player -->
</body>
</html>
```